



ENCLOSURES

Did you know that...

Safety, savings and an extended season. These and many other advantages are brought to you by an ALBIXON pool enclosure. See for yourself!

WHY AN ALBIXON ENCLOSURE?

A safety and design feature right in your garden

With our extensive experience we can easily guide you through the entire process from the selection of the most suitable model and size, to the purchase and installation of your enclosure.

At ALBIXON, we can satisfy your wide range of wishes. Choose from ultra-low enclosures to walking-height enclosures that are perfect for poolside relaxation.

Treat yourself with an ALBIXON enclosure!


- ➔ Safety for your children and pets
- ➔ Higher water temperature
- ➔ Water purity
- ➔ Pool maintenance time savings
- ➔ Lower your cost of water treatment chemicals
- ➔ Your bathing season extended
- ➔ Protection of the pool from external influences
- ➔ Swimming in bad weather
- ➔ Pool value increased



SYDNEY / SYDNEY CLEAR

Low profile, elegant curves and a modern look

A designer enclosure which we have developed for you in cooperation with automotive designers.



Anthracite DB 703



	SYD. AS	SYD. CLEAR AS	SYDNEY A	SYD. CLEAR A	SYD. BD	SYD. CLEAR BD	SYD. BS	SYD. CLEAR BS	SYD. B	SYD. CLEAR B	SYD. C	SYD. CLEAR C
MAX. AREA	350 x 555 cm		350 x 635 cm		350 x 850 cm		400 x 740 cm		400 x 850 cm		450 x 850 cm	
COLOUR	Anthracite DB 703											
RAIL	AIR single-sided, only one rail for the largest module (other modules are railless)											
NUMBER OF MODULES	3	3	3	3	4	4	4	4	4	4	4	4
MODULE PANELS	PK8 ¹⁾	PK4 ²⁾	PK8 ¹⁾	PK4 ²⁾	PK8 ¹⁾	PK4 ²⁾	PK8 ¹⁾	PK4 ²⁾	PK8 ¹⁾	PK4 ²⁾	PK8 ¹⁾	PK4 ²⁾


¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection (Front and rear head always with PK4 panel)

²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection (Front and rear head always with PK4 panel)
The guide rail is not sunk in the ground and can be placed on the left or right, always with an extension.


CASABLANCA INFINITY

Subtle, yet sophisticated, this is the CASABLANCA INFINITY

A low enclosure, which at first glance seems inconspicuous, it offers many surprises which appeal to everyone.








CARBON



Anthracite DB 703



	CASABLANCA INFINITY A	CASABLANCA INFINITY B
 MAX. AREA	346 x 635 cm	442 x 850 cm
 COLOUR	Carbon fibre finish, Anthracite DB 703 ¹⁾	Carbon fibre finish, Anthracite DB 703 ¹⁾
 RAIL	AIR double-sided/single-sided ²⁾	AIR double-sided/single-sided ²⁾
 NUMBER OF MODULES	3	4
 MODULE PANELS	PK4 ³⁾	PK4 ³⁾

¹⁾ The version with a single-sided rail is always in the Carbon design.


²⁾ The left/right position of the track is determined when looking at the largest module from the front. The rail is not sunk into the ground. Each module has its own track. The railless side is equipped with lockable stoppers.

³⁾ PK4 – Transparent compact polycarbonate with a thickness of 4 mm with UV protection. This enclosure is manufactured with transparent panels only.
Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.


DALLAS / DALLAS CLEAR

Fond of round shapes and graceful curves?

You are sure to love the DALLAS enclosure. It is one of the most popular models and fits into any garden.



Silver



Anthracite DB 703

	DALLAS A	DALLAS CLEAR A	DALLAS B	DALLAS CLEAR B
MAX. AREA	363 x 635 cm		462 x 850 cm	
COLOUR	Silver, Anthracite DB 703		Silver, Anthracite DB 703	
RAIL	AIR double-sided		AIR double-sided	
NUMBER OF MODULES	3	3	4	4
MODULE PANELS	PK8 ¹⁾	PK4 ²⁾	PK8 ¹⁾	PK4 ²⁾

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.








KLASIK PRO / KLASIK PRO CLEAR

Minimum height and maximum resistance to snow load


After several years of testing in Nordic conditions, we bring you the durable KLASIK PRO pool enclosure. You will appreciate its **elegant lines, durability and low profile.**

Anthracite DB 703

	KLASIK PRO B	KLASIK PRO CLEAR B
 MAX. AREA	413 x 850 cm	413 x 850 cm
 COLOUR	Anthracite DB 703	Anthracite DB 703
 RAIL	AIR double-sided	AIR double-sided
 NUMBER OF MODULES	4	4
 MODULE PANELS	PK8 ¹⁾	PK4 ²⁾

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection


²⁾ PK4 – transparent compact polycarbonate with a thickness of 4 mm with UV protection




KLASIK / KLASIK CLEAR

Medium-high pool enclosure

It combines the advantages of low and high models. This is the KLASIK enclosure, which will serve you faithfully for many years.



Silver



Anthracite DB 703



	KLASIK S	KLAS. CLEAR S	KLASIK A	KLAS. CLEAR A	KLASIK B	KLAS. CLEAR B	KLASIK C	KLAS. CLEAR C	KLASIK D	KLAS. CLEAR D
MAX. AREA	331 x 420 cm		317 x 635 cm		413 x 850 cm		499 x 1060 cm		564 x 1276 cm	
COLOUR	Anthracite DB 703				Silver, Anthracite DB 703				Anthracite DB 703	
RAIL					AIR double-sided					
NUMBER OF MODULES	2	2	3	3	4	4	5	5	6	6
MODULE PANELS	PK8 ¹⁾	SAN ²⁾	PK8 ¹⁾	SAN ²⁾	PK8 ¹⁾	SAN ²⁾	PK8 ¹⁾	SAN ²⁾	PK8 ¹⁾	SAN ²⁾

¹⁾ PK8 – transparent channel polycarbonate with a thickness of 8 mm with UV protection

²⁾ SAN – transparent panel with a thickness of 4 mm

Still haven't found what you were looking for? It doesn't matter! We will be pleased to tailor the enclosure for you.

MONACO FUTURE

This enclosure will become a remarkable decorative feature of any garden

Have fun with your friends by the pool, have fun with the kids in the water, keep in shape or just relax quietly, regardless of the weather outside.

You can do anything with the MONACO FUTURE enclosure.




CUSTOM MONACO FUTURE							
MAX. AREA	Custom dimensions of enclosure						
COLOUR	Selection of the panel type and colour						
RAIL	AIR						
NUMBER OF MODULES	1	2	3	4	5	6	7
MODULE PANELS	PK8, PK4, SAN						

CASABLANCA

The CASABLANCA enclosure – a dominant landmark of your garden

It is not only a majestic pool enclosure, but also a space for year-round use.

You no longer need worry about the weather for some poolside fun with your family or friends.



CUSTOM CASABLANCA	
MAX. AREA	Custom dimensions of enclosure
COLOUR	Selection of the panel type and colour
RAIL	AIR, AIR XL
NUMBER OF MODULES	1 2 3 4 5 6 7
MODULE PANELS	PK8, PK4

DALLAS WALL-MOUNTED

The best way to enclose a swimming pool located near a wall?

The solution is the custom DALLAS WALL-MOUNTED enclosure, which offers you an unexpected space in a small footprint.



CUSTOM DALLAS WALL-MOUNTED	
MAX. AREA	Custom dimensions of enclosure
COLOUR	Selection of the panel type and colour
RAIL	AIR
NUMBER OF MODULES	1 2 3 4 5 6 7
MODULE PANELS	PK8, PK4

MIAMI

Quality without compromise, attractive colours and high durability

Design enclosure that brightens your garden and gives it the right shine.



CUSTOM MIAMI							
MAX. AREA	Custom dimensions of enclosure						
COLOUR	Selection of the panel type and colour						
RAIL	AIR						
NUMBER OF MODULES	1	2	3	4	5	6	7
MODULE PANELS	PK4						

Enclosures – technical details



Durable polycarbonate that is stabilized and protects your pool perfectly.

The enclosure structure is made of highly resistant profiles. They are smoothly rounded and undergo rigorous testing.

The stoppers secure the enclosure against unwanted movement. To increase the safety, we recommend the lockable option.


Rolling on stainless steel encapsulated bearings makes it easy to move the enclosure. Sophisticated hooks prevent the inadvertent lifting of the module.

The Air track can be walked on, is easy to sink into the ground, and provides hidden anchoring elements.





Compact polycarbonate

The most popular variant is the compact polycarbonate PK4 with a thickness of 4 mm. You will love its elegant appearance and perfect transparency. UV protection as standard and available in 2 colours.



Channel polycarbonate

The channel polycarbonate PK8 and PK10 with a thickness of 8 or 10 mm is stable. It has excellent insulation capabilities and provides plenty of privacy when swimming under a roof. UV protection as standard and **available in 2 colours**.




Standard styrene acrylonitrile

An economical option is styrene acrylonitrile SAN with a thickness of 4mm. You will love it especially for its price attractiveness while maintaining a pleasant appearance and high transparency. UV protection as standard and available only in clear.



Profile colours

The enclosure structure is finished with a durable powder paint in our own specialized and certified paint shop. You can choose from a wide range of colours and decors. For standard enclosures, the colours are fixed; for custom-made enclosures you have the following options:

SILVER Basic colours	ANTHRACITE DB 703 Basic colours	PINE Additional colours	CARBON Additional colours	DOUGLAS Additional colours
SHIRE OAK Additional colours	ELM Additional colours	CHESTNUT Additional colours	WALNUT Additional colours	ROVERE Additional colours
ZEBRANO Additional colours	GOLDEN OAK Additional colours	GREEN RAL 6005 Additional colours	GREY RAL 7016 Additional colours	BRONZO Additional colours
RUSTIK Additional colours	MAHAGON Additional colours	WHITE RAL 9016 Additional colours	 PREMIUM COLOURS RAL	

Feel free to come and check our sample book.



ALBIXON



ALBIXON





PERGOLAS

Did you know that...

The SKYTRIUM bioclimatic pergola adapts to your individual needs in terms of size, design and location.

Use even after dark

Thanks to the LED lighting, you can use the pergola comfortably at any time of day. You can conveniently control the intensity and start-up by remote control.

Retractable shielding

Electrically operated roller blinds not only provide shade from the sun and privacy, but also give protection against wind, insects and rain.

Variable look

The colour of the structure can be matched to the windows of your house, for example, thanks to the wide choice of colours. We paint in our own certified powder coating paint shop. This way, the pergola fits seamlessly into your home.

Minimalist design

A gutter integrated into the perimeter profile diverts rainwater away through the supporting column.

Protection against the sun and rain

The slats swivel at an angle of up to 140°, thus providing not only protection against the sun and rain, but also resistance to snow loads. In the event of unexpected precipitation, the rain sensor automatically closes the slats. The solid coping of the slats protects the internal components and mechanisms in the pergola against water.

Pure design





The location of the control unit in the column does not disturb the aesthetic impression made by the pergola.






SKYTRIUM

SKYTRIUM

Bioclimatic pergola

The Czech-made SKYTRIUM bioclimatic pergola is an ideal addition to your garden so that you can spend the maximum amount of time outdoors. It combines several functions – **shading, an enclosure** with water drainage and **adjustable ventilation**. Thanks to the unique shape of the roof profiles, the pergola **drains rainwater** when closed, so you can spend your time under it comfortably even in bad weather. The pergola is made of **solid aluminium alloy** with **stainless steel** components, so it is weatherproof. Its minimalist design fits into any garden and improves the impression made by your home.

-  **ventilation** – natural air exchange to achieve a comfortable environment by controlled rotation of the roof blades
-  **protection against the impacts of climate** – sun, rain, snow
-  **shading** – regulating the temperature and intensity of sunlight on the terrace while maintaining light comfort
-  **a functional solution regardless of the cardinal orientation of the garden**
– owing to the variable placement of the roof slats of the GARDA and GARDA PLUS models

 DIMENSIONS	max. 5 760 x 3 720 x 2 850 mm (w x d x h)
 COLOUR	Anthracite DB 703, we paint in our own certified powder coating paint shop
 LOAD	90 kg/m ²
 CONTROLS	electromechanical, remote-controlled
 ACCESSORIES	rain sensor,
 OPTIONAL ACCESSORIES	side roller shutter cover, integrated LED lighting
 ORIENTATION	GARDA: north, east and west facing terraces GARDA PLUS: south facing terraces



Did you know that...

When the roof slats are opened, air starts to flow in the pergola. This lowers the perceived temperature under the pergola, although it is actually the same as in the surrounding environment.



Accessories

For even more comfort under the pergola

1 SHADING









The side and front roller blinds combine the function of shading with protection against the weather and insects, while ensuring privacy. You can control them with the remote control.

SHADING PATTERN – Serge Ferrari premium fabric

- reliable protection against rain
- allows a view out but prevents a view in
- wind-resistant up to 60 km/h
- wide choice of colours

2 LED LIGHTING

Thanks to integrated LED lighting, you can enjoy your pergola at any time of the day or night. You can control the lights and adjust the light intensity comfortably via the remote control.



MOOVER

Electric movement for the pool enclosure

We have listened to you, and in cooperation with designers from the automotive industry, we have developed an autonomous electric movement system that you can install with serial enclosures made by ALBIXON. The batteries are charged through the solar panel, or from the mains with a power adapter. Installation of the MOOVER is straight forward.



MOOVER



SPECIFICATIONS

 DIMENSIONS

Length: 1157 mm | Width: 80 mm (without mounting brackets and external connectors) | Width: 110 mm (with mounting brackets) | Height: 163 mm

 WEIGHT

MOOVER weight (incl. battery): 27 kg | Weight of package: 30 kg

 DRIVE

Gearbox type: auger | Motor power: 150 W